

Notice of Allowability

Applicant(s)

09/928,498

Examiner

Kieu D Vu

Applicant(s)

ISHIZAKI ET AL.

Art Unit

2173

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to The Amendment filed 08-17-04.
2. ☒ The allowed claim(s) is/are 10-12.
3. ☒ The drawings filed on 14 August 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 09/225,309.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

1. This Office Action is in response to the Amendment filed 08/17/04.
2. The Terminal Disclaimer filed 08/17/04 is accepted.
3. Claims 1-3, 6-7, and 9 were canceled.
4. Claims 10-12 are pending.

Allowable Subject Matter

5. Claims 10-12 are allowed.
6. Reason for allowance:

Regarding claim 10, none of the prior art fairly teaches or suggests that "if the software component indicating the member displayed on the schedule screen on the schedule display area component is superposed upon said member select component by the input device, supplying information of the software component from the schedule display area component to said member select component, and judging that the software component is a of a type indicating the member, to thereby select a process of deleting the scheduling data of the member from the scheduling screen" in the specific combination as cited in claim 10.

Regarding claim 11, none of the prior art fairly teaches or suggests that "if the software component indicating the scheduling data displayed on the schedule screen on said schedule display area component is superposed upon said member select component by the input device, supplying information of the software component from said schedule display area component to said member select component, and judging that the software component is a software component of a type indicating the

Art Unit: 2173

scheduling data, to thereby select a process of registering scheduling data having the same contents as the scheduling data in the member selected by said member select component" in the specific combination as cited in claim 11.

Regarding claim 12, none of the prior art fairly teaches or suggests that "if the software component indicating the scheduling data on said schedule display area component is superposed upon said visiting site/work matter incorporating component by the input device, supplying information of the software component from said schedule display area component to said visiting site/work matter incorporating component, and judging that the software component is a software component of a type indicating the scheduling data, to thereby select a process of newly registering the visiting site information and the work matter information owned by the software component" in the specific combination as cited in claim 12.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kieu D. Vu.

The examiner can normally be reached on Mon - Thu from 7:00AM to 3:00PM at 571-272-4057.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca, can be reached at 571-272-4048.

Application/Control Number: 09/928,498
Art Unit: 2173

Page 4

The fax phone numbers for the organization where this application or proceeding is assigned are as follows:


703-872-9306

and / or:

571-273-4057 (use this FAX #, only after approval by Examiner, for "INFORMAL" or "DRAFT" communication. Examiners may request that a formal paper / amendment be faxed directly to them on occasions).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703-305-3900).

Kieu D. Vu



JOHN CABECA
SUPERVISORY PATENT EXAMINE
TECHNOLOGY CENTER 2100